

## Safety Data Sheet

GenTite RRS

## Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

## 1.1 Product identifier

<b>Product Name</b>	• <b>Seam Cleaner</b>
<b>Synonyms</b>	• Light Aliphatic; Solvent Naptha (Petroleum)
<b>CAS Number</b>	• 64742-89-8
<b>EC Number</b>	• 265-192-2

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Relevant identified use(s)</b>	• Construction
-----------------------------------	----------------

## 1.3 Details of the supplier of the safety data sheet

<b>Manufacturer</b>	• Firestone Building Products Company 250 West 96th Street Indianapolis, IN 46260 United States  gentitemds@bfdp.com
<b>Telephone (General)</b>	• 800-428-4442

## 1.4 Emergency telephone number

<b>Manufacturer</b>	• (800) 424-9300 - CHEMTREC
<b>Manufacturer</b>	• (703) 527-3887 - CHEMTREC - International

## Section 2: Hazards Identification

## EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]  
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

## 2.1 Classification of the substance or mixture

<b>CLP</b>	• Aspiration 1 - H304 Skin Irritation 2 - H315 Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336 Hazardous to the aquatic environment Chronic 2 - H411
<b>DSD/DPD</b>	• Flammable Irritant (Xi) Harmful (Xn) Dangerous to the Environment (N) R11, R38, R65, R67, R51/53

## 2.2 Label Elements

CLP

**DANGER**



- Hazard statements**
- H304 - May be fatal if swallowed and enters airways
  - H315 - Causes skin irritation
  - H336 - May cause drowsiness or dizziness
  - H411 - Toxic to aquatic life with long lasting effects

### Precautionary statements

- Prevention**
- P261 - Avoid breathing mist/vapours/spray.
  - P264 - Wash thoroughly after handling.
  - P271 - Use only outdoors or in a well-ventilated area.
  - P273 - Avoid release to the environment.
  - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- Response**
- P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  - P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
  - P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
  - P321 - Specific treatment, see supplemental first aid information.
  - P332+P313 - If skin irritation occurs: Get medical advice/attention.
  - P362 - Take off contaminated clothing and wash before reuse.
  - P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
  - P331 - Do NOT induce vomiting.
  - P391 - Collect spillage.
- Storage/Disposal**
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
  - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### DSD/DPD



- Risk phrases**
- R11 - Highly flammable.
  - R38 - Irritating to skin.
  - R65 - Harmful: may cause lung damage if swallowed.
  - R67 - Vapours may cause drowsiness and dizziness.
  - R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Safety phrases**
- S9 - Keep container in a well ventilated place
  - S16 - Keep away from sources of ignition - No Smoking.
  - S57 - Use appropriate containment to avoid environmental contamination.

## 2.3 Other Hazards

- CLP**
- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD**
- This product is considered dangerous according to the European Directive 67/548/EEC.

## United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

- OSHA HCS 2012**
- Flammable Liquids 2 - H225
  - Aspiration 1 - H304
  - Skin Irritation 2 - H315
  - Eye Irritation 2A - H319
  - Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335
  - Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

## 2.2 Label elements

### OSHA HCS 2012

#### DANGER



- Hazard statements**
- Highly flammable liquid and vapour - H225
  - May be fatal if swallowed and enters airways - H304
  - Causes skin irritation - H315
  - Causes serious eye irritation - H319
  - May cause respiratory irritation - H335
  - May cause drowsiness or dizziness - H336

### Precautionary statements

- Prevention**
- Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking. - P210
  - Keep container tightly closed. - P233
  - Ground and/or bond container and receiving equipment. - P240
  - Use explosion-proof electrical/ventilating/lighting/equipment. - P241
  - Use only non-sparking tools. - P242
  - Take precautionary measures against static discharge. - P243
  - Avoid breathing fume/mist/vapours/spray. - P261
  - Wash thoroughly after handling. - P264
  - Use only outdoors or in a well-ventilated area. - P271
  - Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response**
- In case of fire: Use appropriate media for extinction. - P370+P378
  - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
  - Call a POISON CENTER or doctor/physician if you feel unwell. - P312
  - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. - P303+P361+P353
  - Specific treatment, see supplemental first aid information. - P321
  - If skin irritation occurs: Get medical advice/attention. - P332+P313
  - Take off contaminated clothing and wash before reuse. - P362
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338
  - If eye irritation persists: Get medical advice/attention. - P337+P313
  - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. - P301+P310
  - Do NOT induce vomiting. - P331
- Storage/Disposal**
- Store in a well-ventilated place. Keep cool. - P403+P235
  - Keep container tightly closed. - P233
  - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

## 2.3 Other hazards

### OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

### According to WHMIS

## 2.1 Classification of the substance or mixture

### WHMIS

- Flammable Liquids - B2
- Other Toxic Effects - D2B

## 2.2 Label elements

**WHMIS**

- Flammable Liquids - B2
- Other Toxic Effects - D2B

**2.3 Other hazards****WHMIS**

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

See Section 12 for Ecological Information.

## Section 3 - Composition/Information on Ingredients

**3.1 Substances**

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Light aliphatic solvent naphtha	CAS:64742-89-8 EC Number:265-192-2	100%	NDA	<b>EU DSD/DPD:</b> Self Classified: N; R51/53, Xi R38, Xn R67, R65 F R11 <b>EU CLP:</b> Self Classified: Skin Irrit. 2, H315; Asp. Tox. 1, H304; STOT SE 3: Narc, H336; Aquatic Chronic 2, H411 <b>OSHA HCS 2012:</b> Eye Irrit. 2A; Skin Irrit. 2; Asp. Tox. 1; STOT SE 3: Narc. & Resp. Irrit.; Flam. Liq. 2	NDA

**3.2 Mixtures**

- Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

See Section 11 for Toxicological Information.

## Section 4 - First Aid Measures

**4.1 Description of first aid measures****Inhalation**

- Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if artificial oxygen is administered.

**Skin**

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. For minor skin contact, avoid spreading material on unaffected skin. Remove and isolate contaminated clothing and shoes. Call 911 or emergency medical service.

**Eye**

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes.

**Ingestion**

- Do NOT induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Get medical attention immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- If material is ingested and aspirated into the lungs it may cause chemical pneumonitis. Treat appropriately.

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

#### Suitable Extinguishing Media

- LARGE FIRES: Water spray, fog or alcohol-resistant foam.  
SMALL FIRES: Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

#### Unsuitable Extinguishing Media

- Do not use a direct stream of water.

### 5.2 Special hazards arising from the substance or mixture

#### Unusual Fire and Explosion Hazards

- Containers may explode when heated.  
Vapor explosion hazard indoors, outdoors or in sewers.  
HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.  
Many liquids are lighter than water.  
Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).  
Runoff to sewer may create fire or explosion hazard.  
Vapors may form explosive mixtures with air.  
Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

- No data available

### 5.3 Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection.  
Wear positive pressure self-contained breathing apparatus (SCBA).  
Move containers from fire area if you can do it without risk.  
LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.  
LARGE FIRES: Dike fire-control water for later disposal.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal Precautions

- Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin and eyes. Ventilate enclosed areas. Wear appropriate personal protective equipment, avoid direct contact.

#### Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Stay upwind. Keep out of low areas. Keep unauthorized personnel away. Ventilate closed spaces before entering.

### 6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

### 6.3 Methods and material for containment and cleaning up

#### Containment/Clean-up Measures

- SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.  
Use clean non-sparking tools to collect absorbed material.  
All equipment used when handling the product must be grounded.  
LARGE SPILLS: Dike far ahead of spill for later disposal.  
A vapor suppressing foam may be used to reduce vapors.

### 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- Keep away from heat, sparks, and flame – No Smoking. Keep containers closed. Vapors of this material are heavier than air and will collect in low or confined areas. Containers, even those that have been emptied, can contain explosive vapors. Do not cut, drill, grind, weld or perform similar operations near container. Static electricity may accumulate and create a fire hazard. Take precautionary measures against static charges. Bond and ground all transfer containers and equipment. Use only with adequate ventilation. Wear appropriate personal protective equipment. Ground fixed equipment. Do not breathe (dust, vapor or spray mist)

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- Store in a cool/low-temperature, well-ventilated place away from heat and ignition sources. Store locked up. Keep container closed when not in use. Keep away from incompatible materials.

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits/Guidelines

- No exposure limits/guidelines available for the material or the components.

### 8.2 Exposure controls

#### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof electrical/ventilating/lighting/equipment.

#### Personal Protective Equipment

##### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

##### Eye/Face

- Wear safety glasses.

##### Skin/Body

- Wear appropriate gloves. Wear protective clothing

#### Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Avoid release to the environment.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear, colorless liquid with a mild hydrocarbon odor.
Color	Colorless	Odor	Mild Hydrocarbon .
Taste	Data lacking	Particulate Type	Data lacking
Odor Threshold	Data lacking	Physical and Chemical Properties	Data lacking
General Properties			
Boiling Point	220 F(104.4444 C)	Melting Point	Data lacking
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	0.77 Water=1 @ 60 F(15.5556 C)	Density	Data lacking

Water Solubility	Negligible	Viscosity	Data lacking
Explosive Properties	Not explosive.	Oxidizing Properties:	Not an oxidizer.
<b>Volatility</b>			
Vapor Pressure	2 mmHg (torr) @ 20 C(68 F)	Vapor Density	3 Air=1
Evaporation Rate	< 1 n-Butyl Acetate = 1	VOC (Wt.)	2.88 lbs/gal
Volatiles (Wt.)	100 %		
<b>Flammability</b>			
Flash Point	65 F(18.3333 C) TCC (Tagliabue Closed Cup)	UEL	6.7 %
LEL	.9 %	Autoignition	450 F(232.2222 C)
Flammability (solid, gas)	Flammable Liquid.		
<b>Environmental</b>			
Octanol/Water Partition coefficient	Data lacking		

## 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

- Avoid flames, sparks, or other sources of ignition. Excess heat. Incompatible materials.

### 10.5 Incompatible materials

- Strong oxidizing agents.

### 10.6 Hazardous decomposition products

- None known.

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

Seam Cleaner 64742-89-8								
Test Type	Dosage	Route	Species	Duration	Results	Test Class	Target Organs	Comments
Acute Toxicity	= 3400 ppm	Inhalation	Rat	4 Hour(s)	LC50	NDA	NDA	NDA
Acute Toxicity	> 8 g/kg	Ingestion/Oral	Rat	NDA	LD50	NDA	NDA	NDA
<b>GHS Properties</b>			<b>Classification</b>					
<b>Acute toxicity</b>			EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met					
<b>Aspiration Hazard</b>			EU/CLP • Aspiration 1 OSHA HCS 2012 • Aspiration 1					

<b>Carcinogenicity</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Germ Cell Mutagenicity</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Skin corrosion/Irritation</b>	<b>EU/CLP</b> • Skin Irritation 2 <b>OSHA HCS 2012</b> • Skin Irritation 2
<b>Skin sensitization</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>STOT-RE</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>STOT-SE</b>	<b>EU/CLP</b> • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects <b>OSHA HCS 2012</b> • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
<b>Toxicity for Reproduction</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Respiratory sensitization</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Serious eye damage/Irritation</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Eye Irritation 2A

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.

#### Chronic (Delayed)

- No data available.

### Skin

#### Acute (Immediate)

- Causes skin irritation.

#### Chronic (Delayed)

- No data available.

### Eye

#### Acute (Immediate)

- Causes serious eye irritation.

#### Chronic (Delayed)

- No data available.

### Ingestion

#### Acute (Immediate)

- Material may be aspirated into the lungs during ingestion and/or subsequent vomiting. Aspiration of this material will cause severe lung injury, chemical pneumonitis, pulmonary edema or death.

#### Chronic (Delayed)

- No data available.

#### Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

## Section 12 - Ecological Information

### 12.1 Toxicity

Seam Cleaner			64742-89-8		
Dosage	Species	Duration	Results	Exposure Conditions	Comments
= 3.8 mg/L	<b>Crustacea:</b> Daphnia magna	21 Day(s)	NOEC	NDA	NDA



**12.2 Persistence and degradability**

- Material data lacking.

**12.3 Bioaccumulative potential**

- Material data lacking.

**12.4 Mobility in Soil**

- Material data lacking.

**12.5 Results of PBT and vPvB assessment**

- No PBT and vPvB assessment has been conducted.

**12.6 Other adverse effects****Potential Environmental Effects**

- May cause long lasting harmful effects to aquatic life.

**Section 13 - Disposal Considerations****13.1 Waste treatment methods****Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Containers, even those that have been emptied, can contain explosive vapors. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1268	Petroleum distillates, n.o.s. (Solvent naphtha (petroleum), light aliph.)	3	II	NDA
TDG	UN1268	PETROLEUM DISTILLATES, N.O.S. (Solvent naphtha (petroleum), light aliph.)	3	II	NDA
IMO/IMDG	UN1268	PETROLEUM DISTILLATES, N.O.S. (Solvent naphtha (petroleum), light aliph.)	3	II	NDA
ADN	UN1268	PETROLEUM DISTILLATES, N.O.S. (Solvent naphtha (petroleum), light aliph.)	3	II	NDA
ADR/RID	UN1268	PETROLEUM DISTILLATES, N.O.S. (Solvent naphtha (petroleum), light aliph.)	3	II	NDA
IATA/ICAO	UN1268	Petroleum distillates, n.o.s. (Solvent naphtha (petroleum), light aliph.)	3	II	Chronic Aquatic Toxicity

**14.6 Special precautions for user**

- None specified.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

- Not relevant.

**Section 15 - Regulatory Information****15.1 Safety, health and environmental regulations/legislation specific for the substance or**

**mixture****SARA Hazard Classifications** • Acute, Fire

State Right To Know				
Component	CAS	MA	NJ	PA
Light aliphatic solvent naphtha	64742-89-8	No	No	No

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Light aliphatic solvent naphtha	64742-89-8	Yes	No	Yes	No	Yes

**Canada****Labor****Canada - WHMIS - Classifications of Substances**

- Light aliphatic solvent naphtha 64742-89-8 B2

**Canada - WHMIS - Ingredient Disclosure List**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**Environment****Canada - CEPA - Priority Substances List**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**Europe****Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

- Light aliphatic solvent naphtha 64742-89-8 Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R65

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling**

- Light aliphatic solvent naphtha 64742-89-8 T R:45-46-65 S:53-45

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations**

- Light aliphatic solvent naphtha 64742-89-8 H, P

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases**

- Light aliphatic solvent naphtha 64742-89-8 S:53-45

**United States****Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - OSHA - Specifically Regulated Chemicals**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

## United States - California

### Environment

**U.S. - California - Proposition 65 - Carcinogens List**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - California - Proposition 65 - Developmental Toxicity**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

## United States - Pennsylvania

### Labor

**U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

**U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

## United States - Rhode Island

### Labor

**U.S. - Rhode Island - Hazardous Substance List**

- Light aliphatic solvent naphtha 64742-89-8 Not Listed

## 15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

---

### Section 16 - Other Information

**Last Revision Date** ● 21/August/2013

**Preparation Date** ● 23/May/2013

**Disclaimer/Statement of Liability** ● The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

**Key to abbreviations**

NDA = No Data Available

---