GenTite RRS **Safety Data Sheet**

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name All Purpose Bonding Adhesive

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) Rubber adhesive

1.3 Details of the supplier of the safety data sheet

Manufacturer Firestone Building Products Company

> 250 West 96th Street Indianapolis, IN 46260

United States

gentitemsds@bfdp.com

Telephone (General) | 800-428-4442

1.4 Emergency telephone number

Manufacturer (800) 424-9300 - CHEMTREC

Manufacturer (703) 527-3887 - CHEMTREC - International

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP Flammable Liquids 2 - H225

Skin Irritation 2 - H315 Eye Irritation 2 - H319

Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

Reproductive Toxicity 2 - H361d Specific Target Organ Toxicity Repeated Exposure 2 - H373 Hazardous to the aquatic environment Chronic 3 - H412

DSD/DPD Highly Flammable (F)

Irritant (Xi) Harmful (Xn)

Substances Toxic To Reproduction - Category 3 R11, R38, R48/20, R52, R53, R63, R65, R67

2.2 Label Elements

CLP

DANGER







Hazard statements | H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness H361d - Suspected of damaging the unborn child.

H373 - May cause damage to organs -Central Nervous System (CNS)- through

prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground and/or bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P264 - Wash thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

Response |

P370+P378 - In case of fire: Use appropriate media for extinction.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. P352 - Wash with plenty of soap and water.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P331 - Do NOT induce vomiting.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment, see supplemental first aid information.

Storage/Disposal |

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P235 - Keep cool.

P501 - Dispose of content and/or container in accordance with local, regional,

national, and/or international regulations.

DSD/DPD

Supplemental information 25-35 percent of this product consists of an ingredient of unknown toxicity.







Risk phrases | R11 - Highly flammable.

R38 - Irritating to skin.

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through

R52 - Harmful to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

R63 - Possible risk of harm to the unborn child.

R65 - Harmful: may cause lung damage if swallowed.

R67 - Vapours may cause drowsiness and dizziness.

Safety phrases | S9 - Keep container in a well ventilated place

S16 - Keep away from sources of ignition - No Smoking.

S37 - Wear suitable gloves.

2.3 Other Hazards

CLP According to Regulation (EC) No. 1272/2008 (CLP) this material is considered

hazardous.

DSD/DPD According to European Directive 1999/45/EC this preparation is considered

dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 | Flammable Liquids 2 - H225

Acute Toxicity Oral 4 - H302 Skin Irritation 2 - H315 Eye Irritation 2A - H319

Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

Reproductive Toxicity 2 - H361

Specific Target Organ Toxicity Repeated Exposure 2 - H373

2.2 Label elements OSHA HCS 2012

DANGER







Hazard statements | High

Highly flammable liquid and vapour - H225

Harmful if swallowed - H302 Causes skin irritation - H315 Causes serious eye irritation - H319 May cause drowsiness or dizziness - H336

Suspected of damaging fertility or the unborn child. - H361

May cause damage to organs through prolonged or repeated exposure - H373

Precautionary statements

Prevention | Obtain special instructions before use. - P201

Do not handle until all safety precautions have been read and understood. - P202 Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking. - P210

Keep container tightly closed. - P233

Ground and/or bond container and receiving equipment. - P240 Use explosion-proof electrical/ventilating/lighting/equipment. - P241

Use only non-sparking tools. - P242

Take precautionary measures against static discharge. - P243

Wash thoroughly after handling. - P264

Do not eat, drink or smoke when using this product. - P270 Use only outdoors or in a well-ventilated area. - P271

Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response | In case of fire: Use appropriate media for extinction. - P370+P378

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. - P304+P340

Call a POISON CENTER or doctor/physician if you feel unwell. - P312

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. - P303+P361+P353

Wash with plenty of soap and water. - P352

If skin irritation occurs: Get medical advice/attention. - P332+P313

Wash contaminated clothing before reuse. - P363

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. - P305+P351+P338 If eye irritation persists: Get medical advice/attention. - P337+P313

IF ŚWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel

unwell. - P301+P312 Rinse mouth. - P330

Do NOT induce vomiting. - P331 IF exposed or concerned: Get medical advice/attention. - P308+P313

Get medical advice/attention if you feel unwell. - P314

Specific treatment, see supplemental first aid information. - P321

Storage/Disposal | Keep cool. - P235

Store in a well-ventilated place. Keep container tightly closed. - P403+P233

Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations. - P501

Supplemental information 25-35 percent of this product consists of an ingredient of unknown toxicity.

2.3 Other hazards

OSHA HCS 2012 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

Flammable Liquids - B2 Other Toxic Effects - D2A Other Toxic Effects - D2B

2.2 Label elements WHMIS





Flammable Liquids - B2 Other Toxic Effects - D2A Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information

NFPA

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

			Composition		
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Toluene	CAS:108-88-3 EC Number:203- 625-9 UN:UN1294	34% TO 44%	Ingestion/Oral-Rat LD50 • 636 mg/kg Inhalation-Rat LC50 • 49 g/m³ 4 Hour(s) Skin-Rabbit LD50 • 14100 µL/kg	EU DSD/DPD: Annex I - F; R11 Repr. Cat. 3; R63 Xn; R48/20-65 Xi; R38; R67 EU CLP: Annex VI - Flam. Liq. 2, H226; Repr. 2, H361d; Asp. Tox. 1, H304; STOT RE 2 * H373; Skin Irrit. 2, H315; STOT SE 3: H336 OSHA HCS 2012: Eye Irrit. 2A; Skin Irrit. 2; Flam. Liq. 2; Repr. 2; Acute Tox. 4 (oral); STOT SE 3: Narc.; Asp. Tox. 1	NDA
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	CAS:64741-84- 0 EC Number:265- 086-6	25% TO 35%	NDA	EU DSD/DPD: Annex I - Carc. Cat. 2; R45; Muta. Cat. 2; R46; Xn; R65 EU CLP: Annex VI - Carc. 1B; Muta. 1B; Asp. Tox. 1 OSHA HCS 2012: Not Classified - Data Lacking	NDA
Polymers	NDA	11% TO 36%	NDA	EU DSD/DPD: Not Classified - Data Lacking EU CLP: Not Classified - Data Lacking OSHA HCS 2012: Not Classified - Data Lacking	NDA
Polychlorophene	CAS:9010-98-4	< 12%	Ingestion/Oral-Rat LD50 • >40 g/kg	EU DSD/DPD: Not Classified - Classification critera not met EU CLP: Not Classified - Classification critera not met OSHA HCS 2012: Not Classified - Classification critera not met	NDA
Acetone	CAS:67-64-1 EC Number:200- 662-2 UN:UN1090	5% TO 10%	Ingestion/Oral-Rat LD50 • 5800 mg/kg Inhalation-Rat LC50 • 50100 mg/m³	EU DSD/DPD: Annex I - F; R11 Xi; R36; R66; R67 EU CLP: Annex VI - Flam. Liq. 2, H226; Eye Irrit. 2, H319; STOT SE 3, H336 OSHA HCS 2012: Flam. Liq. 2; Eye Irrit. 2A; STOT SE 3: Resp. Irrit. & Narc.; Repr. 2	NDA
Xylene	CAS:1330-20-7 EC Number:215- 535-7 UN:UN1307	< 1%	Ingestion/Oral-Rat LD50 • 4300 mg/kg Inhalation-Rat LC50 • 5000 ppm 4 Hour(s) Skin-Rabbit LD50 • >1700 mg/kg	EU DSD/DPD: Annex I - R10 Xn; R20/21 Xi; R38 EU CLP: Annex VI - Flam. Liq. 3, H226; Acute Tox. 4 * H312; Acute Tox. 4 * H332; Skin Irrit. 2 , H315 OSHA HCS 2012: Acute Tox. 4 (skin); Eye Irrit. 2A; Skin Irrit; 2, Repr. 2 (inhalation)	NDA
Magnesium oxide	CAS:1309-48-4 EC Number:215- 171-9	< 1%	NDA	EU DSD/DPD: Self Classified - Xi; R36/37 EU CLP: Self Classified - Eye Irrit. 2, H319; STOT SE 3, H335 OSHA HCS 2012: Eye Irrit. 2; STO SE 3: Resp. Irrit.	NDA
Zinc oxide	CAS:1314-13-2 EC Number:215- 222-5	< 0.3%	NDA	EU DSD/DPD: Self Classified - N; R50-53 EU CLP: Self Classified - Aquatic Acute 1, H400; Aquatic Chronic 1, H410 OSHA HCS 2012: Not Classified - Classification critera not met	NDA

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation | IF INHALED: Remove victim to fresh

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Cot modical attention immediately if symptoms accurr

is not breathing. Get medical attention immediately if symptoms occur.

SkinIn case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing and shoes. If skin

irritation occurs: Get medical advice/attention.

Eye In case of contact with substance, immediately flush eyes with running water for at

least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion If swallowed, rinse mouth with water (only if the person is conscious) Do NOT induce

vomiting. Do not give anything by mouth to an unconscious person. Get medical

attention immediately if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media | CA

CAUTION: For mixtures containing a high percentage of an alcohol or polar solvent,

alcohol-resistant foam may be more effective.

LARGE FIRES: Water spray, fog or alcohol-resistant foam. SMALL FIRES: Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media

Do not use a direct stream of water.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

Containers may explode when heated.

Vapor explosion hazard indoors, outdoors or in sewers.

HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.

Many liquids are lighter than water.

Most vapors are heavier than air. They will spread along ground and collect in low or

confined areas (sewers, basements, tanks).

Runoff to sewer may create fire or explosion hazard.

Those substances designated with a "P" may polymerize explosively when heated or

involved in a fire.

Vapors may form explosive mixtures with air.

Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Oxides of carbon, oxides of nitrogen, hydrochloric acid.

5.3 Advice for firefighters

Structural firefighters' protective clothing will only provide limited protection.

Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk.

LARGE FIRES: Cool containers with flooding quantities of water until well after fire is

out.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

CAUTION: Victim may be a source of contamination. Do not touch or walk through spilled material.

Emergency Procedures

As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 300 meters (1000 feet) ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

6.2 Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

Stop leak if you can do it without risk.

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Use clean non-sparking tools to collect absorbed material. A vapor suppressing foam may be used to reduce vapors.

All equipment used when handling the product must be grounded. LARGE SPILLS: Dike far ahead of liquid spill for later disposal.

LARGE SPILLS: Water spray may reduce vapor; but may not prevent ignition in closed spaces.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

Do not use in areas without adequate ventilation. Handle and open container with care. Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Keep away from fire. Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	Europe
	STELs	10 mg/m3 STEL (respirable fraction)	10 mg/m3 STEL (respirable)	10 mg/m3 STEV (fume)	5 mg/m3 STEL	Not established
Zinc oxide (1314-13-2)	TWAs	2 mg/m3 TWA (respirable fraction)	2 mg/m3 TWA (respirable)	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust); 5 mg/m3 TWAEV (fume)	3 mg/m3 TWA	Not established
Magnesium oxide	STELs	Not established	Not established	Not established	20 mg/m3 STEL (fume)	Not established

(1309-48-4)	TWA		ng/m3 TWA alable fraction)	10 mg/m (inhalabl		10 mg/m3 TV (fume, as Mg		10 mg/m3 TWA (fume)	Not established	
Xylene	STEL	s 150	ppm STEL	150 ppm	STEL	150 ppm STE mg/m3 STEV		100 mg/m3 STEL	Not established	
(1330-20-7)	TWA	s 100	ppm TWA	100 ppm	TWA	100 ppm TW. 434 mg/m3 T		50 mg/m3 TWA	Not established	
Acetone	STEL	s 750	ppm STEL	750 ppm	STEL	1000 ppm ST 2380 mg/m3		450 mg/m3 STEL	Not established	
(67-64-1)	TWAs	s 500	ppm TWA	500 ppm	TWA	500 ppm TW. 1190 mg/m3		300 mg/m3 TWA	Not established	
Toluene	STEL	s Not	established	Not esta	blished	Not establish	ed	100 mg/m3 STEL	100 ppm STEL; 384 mg/m3 STEL	
(108-88-3)	TWAs	s 20 p	ppm TWA	20 ppm ⁻	TWA	50 ppm TWA mg/m3 TWAE		50 mg/m3 TWA	50 ppm TWA; 192 mg/m3 TWA	
			Ex	oosure	Limits/Gu	idelines (C	on't.)			
	R	esult	Germany DF	•	Germany			NIOSH	OSHA	
	Τ\	WAs	Not established		Not establish	ed	5 mg/m3 and fum	3 TWA (dust e)	5 mg/m3 TWA (fume); 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	
Zinc oxide (1314-13-2)	C	eilings	1 mg/m3 Peak (respirable fraction, fume)		Not established 15 mg/m3		3 Ceiling (dust)	Not established		
	S	TELs	Not established		Not established 10 mg/		10 mg/m	3 STEL (fume)	Not established	
		AKs	1 mg/m3 TWA M/ (fume, respirable fraction)		Not established		Not esta		Not established	
	Τ\	WAs	Not established		Not establish	ed	Not esta	blished	15 mg/m3 TWA (fume, total particulate)	
Magnesium oxide (1309-48-4)	М	AKs	1.5 mg/m3 TWA I (respirable fraction mg/m3 TWA MAK (inhalable fraction	on); 4 (Not establish	ed	Not esta	blished	Not established	
Xylene	T\	WAs	Not established		100 ppm TW (all isomers, factor 2); 440 TWA AGW (a isomers, exp factor 2)	exposure) mg/m3 all	Not esta	blished	100 ppm TWA; 435 mg/m3 TWA	
(1330-20-7)		200 ppm Peak (al isomers); 880 mg Peak (all isomers		/m3	m3 Not established		Not established N		Not established	
		AKs	100 ppm TWA M 440 mg/m3 TWA		Not establish	ed	Not established		Not established	
Acetone	T\	WAs	Not established		500 ppm TWA AGW (exposure factor 2); 1200 mg/m3 TWA AGW (exposure factor 2)		250 ppm TWA; 590 mg/m3 TWA		1000 ppm TWA; 2400 mg/m3 TWA	
(67-64-1)	C	eilings	1000 ppm Peak; 2 mg/m3 Peak	2400	Not establish	ed	Not esta	blished	Not established	
	М	AKs	500 ppm TWA M 1200 mg/m3 TWA		Not establish	ed	Not esta	blished	Not established	

	Ceilings	200 ppm Peak; 760 mg/m3 Peak	Not established	Not established	300 ppm Ceiling
Toluene (108-88-3)	TWAs	Not established	50 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 4); 190 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 4)	100 ppm TWA; 375 mg/m3 TWA	200 ppm TWA
	STELs	Not established	Not established	150 ppm STEL; 560 mg/m3 STEL	Not established
	MAKs	50 ppm TWA MAK; 190 mg/m3 TWA MAK	Not established	Not established	Not established

Exposure Control Notations

Germany TRGS

•Toluene (108-88-3): Skin: (skin notation)

•Xylene (1330-20-7): Skin: (skin notation (all isomers))

Germany DFG

- •Toluene (108-88-3): Pregnancy: (no risk to embryo/fetus if exposure limits adhered to) | Skin: (skin notation)
- •Acetone (67-64-1): **Pregnancy:** (classification not yet possible)
- •Xylene (1330-20-7): Pregnancy: (classification not yet possible (all isomers)) | Skin: (skin notation (all isomers))
- •Magnesium oxide (1309-48-4): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to (respirable fraction); inhalable fraction)

8.2 Exposure controls

Engineering Measures/Controls

This adhesive is designed to be used outdoors, in roofing applications. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face | Wear chemical splash safety goggles.

Skin/Body | Wear appropriate chemical resistant gloves.

Environmental Exposure

Controls

In case of spills, keep product clear of sewers, waterways or land areas. Dispose of waste product in accordance with national and local laws and regulations.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description						
Physical Form	Liquid	I Appearance/Description	Amber to yellow liquid with strong aromatic.			
Color	Amber to yellow.	Odor	Strong aromatic odor.			

Odor Threshold	Data lacking					
General Properties						
Boiling Point	55 to 142 C(131 to 287.6 F)	Melting Point	Data lacking			
Decomposition Temperature	Data lacking	Heat of Decomposition	Data lacking			
рН	Data lacking	Specific Gravity/Relative Density	0.844 Water=1			
Water Solubility	Insoluble	Viscosity	Not relevant			
Explosive Properties	Data lacking	Oxidizing Properties:	Data lacking			
Volatility						
Vapor Pressure	9.5 to 185 mmHg (torr) @ 20 C(68 F)	Vapor Density	2.4 Air=1			
Evaporation Rate	1.9 to 9.5 Ether = 1	VOC (Vol.)	633 g/L			
Volatiles (Vol.)	76.4 %					
Flammability						
Flash Point	-18 C(-0.4 F) TCC (Tagliabue Closed Cup)	UEL	12.8 %			
LEL	1 %	Autoignition	Data lacking			
Self-Accelerating Decomposition Temperature (SADT)	Data lacking	Flammability (solid, gas)	Data lacking			
Environmental						
Octanol/Water Partition coefficient	Data lacking					

9.2 Other Information

No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Avoid flames, sparks, and other sources of ignition. Avoid contact with combustible materials. Avoid contact with incompatible materials.

10.5 Incompatible materials

Acids, bases, combustible materials, oxidizing materials.

10.6 Hazardous decomposition products

Thermal decomposition could produce oxides of carbon, oxides of nitrogen, hydrochloric acid.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components					
		Acute Toxicity: Ingestion/Oral-Rat LD50 • 636 mg/kg; Inhalation-Rat LC50 • 49 g/m³ 4 Hour(s); Skin-Rabbit LD50 •			

Toluene (34% TO 44%)	108- 88-3	14100 µL/kg; Irritation: Eye-Rabbit • 2 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 20 mg 24 Hour(s) • Moderate irritation; Reproductive: Inhalation-Rat TCLo • 800 mg/m³ 6 Hour(s)(14-20D preg); Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Effects on Newborn:Behavioral
Polychlorophene (< 12%)	9010- 98-4	Acute Toxicity: Ingestion/Oral-Rat LD50 • >40 g/kg
Acetone (5% TO 10%)	67-64- 1	Acute Toxicity: Ingestion/Oral-Rat LD50 • 5800 mg/kg; Inhalation-Rat LC50 • 50100 mg/m³; Irritation: Eye-Rabbit • 20 mg • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Reproductive: Inhalation-Rat TCLo • 30 mg/m³ (1-13D preg); Reproductive Effects:Effects on Fertility:Post-implantation mortality; Reproductive Effects:Effects on Fertility:Post-implantation mortality; Reproductive Effects:Effects on Embryo or Fetus:Fetal death
Xylene (< 1%)	1330- 20-7	Acute Toxicity: Ingestion/Oral-Rat LD50 • 4300 mg/kg; Liver:Other changes; Kidney, Ureter, and Bladder:Other changes; Inhalation-Rat LC50 • 5000 ppm 4 Hour(s); Skin-Rabbit LD50 • >1700 mg/kg; Irritation: Eye-Rabbit • 5 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation; Reproductive: Inhalation-Rat TCLo • 50 mg/m³ 6 Hour(s)(1-21D preg); Reproductive Effects:Specific Developmental Abnormalities:Other developmental abnormalities; Reproductive Effects:Effects on Newborn:Growth statistics (e.g., reduced weight gain)
Zinc oxide (< 0.3%)	1314- 13-2	Irritation: Eye-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Reproductive: Ingestion/Oral-Rat TDLo • 6846 mg/kg (1-22D preg); Reproductive Effects:Specific Developmental Abnormalities:Homeostasis; Reproductive Effects:Effects on Newborn:Stillbirth; Reproductive Effects:Effects on Newborn:Growth statistics (e.g., reduced weight gain)

GHS Properties	Classification
Acute toxicity	EU/CLP Classification criteria not met OSHA HCS 2012 Acute Toxicity - Oral 4
Aspiration Hazard	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Carcinogenicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Germ Cell Mutagenicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
STOT-RE	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 2
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
Toxicity for Reproduction	EU/CLP • H361d - Suspected of damaging the unborn child; Toxic to Reproduction 2 OSHA HCS 2012 • Toxic to Reproduction 2
Respiratory sensitization	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Eye Irritation 2 OSHA HCS 2012 • Eye Irritation 2A

Route(s) of entry/exposure Potential Health Effects

Skin, Eye, Ingestion/Oral

Inhalation

Acute (Immediate) May be harmful. May affect the central nervous system. Symptoms may include

dizziness, drowsiness, lethargy, coma and death.

Chronic (Delayed) Repeated and prolonged exposure may cause Central Nervous System (CNS) effects.

Skin

Acute (Immediate) Causes skin irritation. **Chronic (Delayed)**

No data available.

Eve

Acute (Immediate) Causes serious eye irritation.

Chronic (Delayed) No data available.

Ingestion

Acute (Immediate) May be harmful. **Chronic (Delayed)** No data available.

Reproductive Effects Repeated and prolonged exposure may cause reproductive effects.

Section 12 - Ecological Information

12.1 Toxicity

This material may be toxic to aquatic organisms and cause long-term adverse effects in the aquatic environment.

12.2 Persistence and degradability

No information available for the product.

12.3 Bioaccumulative potential

No information available for the product.

12.4 Mobility in Soil

No information available for the product.

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Packaging waste Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1133	Adhesives	3	II	NDA

TDG	UN1133	ADHESIVES	3	II	NDA
IMO/IMDG	UN1133	ADHESIVES	3	II	NDA
ADN	UN1133	ADHESIVES	3	II	NDA
ADR/RID	UN1133	Adhesives	3	II	NDA
IATA/ICAO	UN1133	Adhesives	3	II	NDA

14.6 Special precautions for

None known.

14.7 Transport in bulk according to Annex II of

Not relevant.

MARPOL 73/78 and the IBC Code

14.8 Other information

DOT Toluene has a reportable quantity of 1000 lbs (454 kg) as listed in Appendix A to 49 CFR 172.101. Xylene has a reportable quantity of 1000 lbs (454 kg) as listed in Appendix A to 49 CFR 172.101. Acetone has a reportable quantity of 5000 lbs (2270 kg) as listed in Appendix A to 49 CFR 172.101.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications | Acute, Chronic, Fire

State Right To Know						
Component	CAS	MA	NJ	PA		
Polychlorophene	9010-98-4	No	No	No		
Acetone	67-64-1	Yes	Yes	Yes		
Magnesium oxide	1309-48-4	Yes	Yes	Yes		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	No	No	No		
Toluene	108-88-3	Yes	Yes	Yes		
Xylene	1330-20-7	Yes	Yes	Yes		
Zinc oxide	1314-13-2	Yes	Yes	Yes		

			Inventory			
Component	CAS	Canada DSL	China	EU EINECS	EU ELNICS	Japan ENCS
Polychlorophene	9010-98-4	Yes	Yes	No	No	Yes
Acetone	67-64-1	Yes	Yes	Yes	No	Yes
Magnesium oxide	1309-48-4	Yes	Yes	Yes	No	Yes
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Yes	Yes	Yes	No	No
Toluene	108-88-3	Yes	Yes	Yes	No	Yes
Xylene	1330-20-7	Yes	Yes	Yes	No	Yes
Zinc oxide	1314-13-2	Yes	Yes	Yes	No	Yes
			Inventory (Co	n't.)		
Component		CAS	Korea KE	CL	TSCA	

Polychlorophene	9010-98-4	Yes	Yes
Acetone	67-64-1	Yes	Yes
Magnesium oxide	1309-48-4	Yes	Yes
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Yes	Yes
Toluene	108-88-3	Yes	Yes
Xylene	1330-20-7	Yes	Yes
Zinc oxide	1314-13-2	Yes	Yes

Australia

 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
• Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Zinc oxide	1314-13-2	Not Listed
• Polychlorophene	9010-98-4	Not Listed
Australia - High Volume Industrial Chemicals List		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
• Acetone	67-64-1	
Magnesium oxide	1309-48-4	
• Toluene	108-88-3	
• Xylene	1330-20-7	
• Zinc oxide	1314-13-2	Not Listed
• Polychlorophene	9010-98-4	Not Listed
Australia - List of Designated Hazardous Substances - Classification		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Xn Carc.Cat.2, Muta.Cat.2 R45, R46, R65
• Acetone	67-64-1	F, Xi R11, R36, R66, R67
Magnesium oxide	1309-48-4	Self classification required (fume)
• Toluene	108-88-3	F, Xn, Xi Repr.Cat.3 R11, R63 R48/20, R65, R38, R67
• Xylene	1330-20-7	Xn, Xi R10, R20/21, R38
Zinc oxide	1314-13-2	Self classification required (dust and fume); N R50, R53
Polychlorophene	9010-98-4	Not Listed

Australia - National Pollutant Inventory (NPI) Substance List		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	10 tonne/yr Threshold category 1
		10 tonne/yr Threshold
		category 1 (fume); 2000
		tonne/yr Threshold category
Magnesium oxide	1309-48-4	2b (fume); 60000 MWH
		Threshold category 2b (fume);

		20 MW Threshold category 2b (fume)
• Toluene	108-88-3	10 tonne/yr Threshold category 1
		10 tonne/yr Threshold
Xylene	1330-20-7	category 1 (including individual or mixed isomers)
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
Australia - Ozone Protection Act - Scheduled Substances		
• Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	Not Listed
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
Australia - Priority Existing Chemical Program		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	Candidate chemical
• Xylene	1330-20-7	Candidate chemical
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed

Canada

abor		
Canada - WHMIS - Classifications of Substances		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	B2, D2B
Magnesium oxide	1309-48-4	Uncontrolled product according to WHMIS classification criteria
Toluene	108-88-3	B2, D2A, D2B
• Xylene	1330-20-7	B2, D2A, D2B
• Zinc oxide	1314-13-2	Uncontrolled product according to WHMIS classification criteria
• Polychlorophene	9010-98-4	Not Listed
Canada - WHMIS - Ingredient Disclosure List		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	1 %
Magnesium oxide	1309-48-4	1 %
Toluene	108-88-3	1 %
• Xylene	1330-20-7	Not Listed
• Zinc oxide	1314-13-2	1 %
Polychlorophene	9010-98-4	Not Listed

Environment

Canada - CEPA - Priority Substances List

 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Priority Substance List 1 (substance not considered toxic)
• Xylene	1330-20-7	Priority Substance List 1 (substance not considered toxic)
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed

China

Other China - Annex I & II - Controlled Chemicals Lists		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	Not Listed
Xylene	1330-20-7	Not Listed
• Zinc oxide	1314-13-2	Not Listed
 Polychlorophene 	9010-98-4	Not Listed

Europe

Other EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R65
• Acetone	67-64-1	F; R11 Xi; R36 R66 R67
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	F; R11 Xi; R38 Xn; R48/20-65 Repr.Cat.3; R63 R67
• Xylene	1330-20-7	R10 Xn; R20/21 Xi; R38
• Zinc oxide	1314-13-2	N; R50-53
Polychlorophene	9010-98-4	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
• Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	12.5%<=C: Xn; R20/21
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	T R:45-46-65 S:53-45
• Acetone	67-64-1	F Xi R:11-36-66-67 S:(2)-9-16 26
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	F Xn R:11-38-48/20-63-65-67 S:(2)-36/37-46-62
• Xylene	1330-20-7	Xn R:10-20/21-38 S:(2)-25
• Zinc oxide	1314-13-2	N R:50/53 S:60-61

Polychlorophene	9010-98-4	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and	d Preparations	
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	P
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Not Listed
• Xylene	1330-20-7	С
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	S:53-45
Acetone	67-64-1	S:(2)-9-16-26
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	S:(2)-36/37-46-62
Xylene	1330-20-7	S:(2)-25
Zinc oxide	1314-13-2	S:60-61
Polychlorophene	9010-98-4	Not Listed

Mexico

Other Mexico - Hazard Classifications		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
• Acetone	67-64-1	Hazard Class = 3 PG = II UN1090
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Hazard Class = 3 PG = II UN1294
• Xylene	1330-20-7	Hazard Class = 3 PG = II UN1307; Hazard Class = 3 PG = III UN1307
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
Mexico - Regulated Substances		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	UN1090
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	UN1294
Xylene	1330-20-7	UN1307; UN1307
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed

United States

Labor		
U.S OSHA - Process Safety Management - Highly Hazardous Chemicals		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Not Listed
Xylene	1330-20-7	Not Listed
Zinc oxide	1314-13-2	Not Listed

Polychlorophene	9010-98-4	Not Listed	
U.S OSHA - Specifically Regulated Chemicals			
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed	
• Acetone	67-64-1	Not Listed	
Magnesium oxide	1309-48-4	Not Listed	
Toluene	108-88-3	Not Listed	
Xylene	1330-20-7	Not Listed	
• Zinc oxide	1314-13-2	Not Listed	
Polychlorophene	9010-98-4	Not Listed	

Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
• Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	
• Xylene	1330-20-7	(isomers and mixtures)
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
• Acetone	67-64-1	5000 lb final RQ; 2270 kg final RQ
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	1000 lb final RQ; 454 kg final RQ
• Xylene	1330-20-7	100 lb final RQ; 45.4 kg final RQ
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Not Listed
Xylene	1330-20-7	Not Listed
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Not Listed
Xylene	1330-20-7	Not Listed
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
• Acetone	67-64-1	Not Listed

Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	1.0 % de minimis
· Toluene	100-00-3	concentration
Xylene	1330-20-7	1.0 % de minimis
Aylone		concentration
Zinc oxide	1314-13-2	Not Listed
• Polychlorophene	9010-98-4	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	Not Listed
Xylene	1330-20-7	Not Listed
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Hazardous Co	onstituents - Annondiv VIII to	40 CEP 261
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	waste number U220
• Xylene	1330-20-7	Not Listed
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
Polychiotophene	9010-96-4	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - List for Hazar	dous Constituents	
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	
Toluche		
	1330-20-7	
Xylene Zinc oxide	1330-20-7 1314-13-2	Not Listed

United States - California

Environment		
U.S California - Proposition 65 - Carcinogens List		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	Not Listed
Xylene	1330-20-7	Not Listed
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	developmental toxicity, initial date 1/1/91
Xylene	1330-20-7	Not Listed
Zinc oxide	1314-13-2	Not Listed

Polychlorophene	9010-98-4	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	female reproductive toxicity, initial date 8/7/09
Xylene	1330-20-7	Not Listed
• Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male		
Naphtha, petroleum, solventrefinedlight (Primarily Hexane)	64741-84-0	Not Listed
Acetone	67-64-1	Not Listed
Magnesium oxide	1309-48-4	Not Listed
Toluene	108-88-3	Not Listed
Xylene	1330-20-7	Not Listed
Zinc oxide	1314-13-2	Not Listed
Polychlorophene	9010-98-4	Not Listed

United States - Pennsylvania

U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List		
 Naphtha, petroleum, solventrefinedlight (Primarily Hexane) 	64741-84-0	Not Listed
• Acetone	67-64-1	
Magnesium oxide	1309-48-4	Not Listed
• Toluene	108-88-3	
Xylene	1330-20-7	
• Zinc oxide	1314-13-2	(fume)
 Polychlorophene 	9010-98-4	Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16 - Other Information

Last Revision Date Preparation Date Disclaimer/Statement of Liability

- 06/January/2015
- 01/August/2013
- The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

Key to abbreviations

NDA = No data available