Safety Data Sheet GenTite RRS

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name

- Water Based Bonding Adhesive (P)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

Construction

1.3 Details of the supplier of the safety data sheet

Manufacturer

 26 Century Boulevard, Suite 205, Nashville. Tennessee 37214

800-443-4272 • GenTite.com

1.4 Emergency telephone number

Manufacturer • (800) 424-9300 - CHEMTREC

Manufacturer • (703) 527-3887 - CHEMTREC - International

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP

Carcinogenicity 2 - H351

DSD/DPD

Carcinogenic Substances - Category 3

R40

2.2 Label Elements

CLP

WARNING



Hazard statements . H351 - Suspected of causing cancer.

Precautionary statements

Prevention • P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P281 - Use personal protective equipment as required.

Response P308+P313 - IF exposed or concerned: Get medical advice/attention.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Risk phrases . R40 - Limited evidence of a carcinogenic effect.

Safety phrases • S36 - Wear suitable protective clothing.

S37 - Wear suitable gloves.

S53 - Avoid exposure - obtain special instructions before use.

2.3 Other Hazards

CLP According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD According to European Directive 1999/45/EC this material is considered dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

 Carcinogenicity 2 - H351 Reproductive Toxicity 2 - H361

2.2 Label elements **OSHA HCS 2012**

WARNING



Hazard statements •

Suspected of causing cancer. - H351 Suspected of damaging fertility or the unborn child. - H361

Precautionary statements

Obtain special instructions before use. - P201 Prevention •

Do not handle until all safety precautions have been read and understood. - P202 Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response . IF exposed or concerned: Get medical advice/attention. - P308+P313

Dispose of content and/or container in accordance with local, regional, national, and/or Storage/Disposal international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS Toxic - D1B

Other Toxic Effects - D2A

2.2 Label elements

WHMIS





Toxic - D1B Other Toxic Effects - D2A

2.3 Other hazards WHMIS

 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

 Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Composition							
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments		
Acetic acid, vinyl ester	CAS:108-05-4 EC Number:203- 545-4 EU Index:607- 023-00-0	0.1% TO 1%	Ingestion/Oral-Rat LD50 • 2900 mg/kg Inhalation-Rabbit LC50 • 2500 ppm 4 Hour(s) Skin-Rabbit LD50 • 2335 mg/kg	EU DSD/DPD: Annex VI, Table 3.2: F R11 Carc. Cat. 3 R40 Xn R20 Xi R37 EU CLP: Annex VI, Table 3.1: Flam. Liq. 2, H225; Carc. 2, H351; Acute Tox. 4, H332; STOT SE 3: Resp. Irrit., H335 OSHA HCS 2012: Flam. Liq. 2; Repr 2; Carc. 2; Acute Tox. 4 (inhl)	NDA		

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

 Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

Wash skin with soap and water.

Eye

 Remove contact lenses if worn. Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Ingestion

 Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If signs/symptoms develop, get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media .

LARGE FIRE: Water spray, fog or regular foam.
 SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing Media

No data available.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

None

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.
 Oxides of carbon.

5.3 Advice for firefighters

• Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

Keep unauthorized personnel away. Stay upwind.

6.2 Environmental precautions

Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up

Measures

Stop leak if you can do it without risk.
 SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.
 LARGE SPILLS: Dike far ahead of liquid spill for later disposal.

6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

Use only with adequate ventilation. Wear appropriate personal protective equipment. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Keep container closed when not in use. Store between 40°F and 100°F. (5° and 38°C)

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

	Exposure Limits/Guidelines										
	Resu	lt	ACGIH	Au	stralia	Belgiu	m	Canada Albert	ta	Canada British Columbia	
Acetic acid, vinyl	STEL	s 15 p	pm STEL	20 ppm STEL; 70 mg/m3 STEL		10 ppm STEL; 35.2 mg/m3 STEL		15 ppm STEL; 53 mg/m3 STEL		15 ppm STEL	
ester (108-05-4)	TWA	s 10 p	pm TWA	10 ppm T mg/m3 TV		5 ppm TWA; 1 mg/m3 TWA	5 ppm TWA; 17.6 mg/m3 TWA			10 ppm TWA	
2			Ex	cposure	Limits/Gu	idelines (Co	on't.)				
	Resu	It Ca	nada Manitoba		nda New nswick	Canada Noi Territor		Canada Nova Scotia	a	Canada Nunavut	
Acetic acid, vinyl	STEL	s 15 p	pm STEL	15 ppm S mg/m3 S1	•	20 ppm STEL: mg/m3 STEL	; 70	15 ppm STEL		20 ppm STEL; 70 mg/m3 STEL	
ester (108-05-4)	TWA	s 10 p	pm TWA	10 ppm TWA; 35 mg/m3 TWA		10 ppm TWA; 35 mg/m3 TWA		10 ppm TWA		10 ppm TWA; 35 mg/m3 TWA	
			Ex	cposure	Limits/Gu	idelines (Co	on't.)				
	Resu	lt C	anada Ontario	Canad	a Quebec	Canad Saskatch		Canada Yuko	n	China	
Acetic acid, vinyl	STEL	s 15 p	pm STEL	15 ppm STEV; 53 mg/m3 STEV		Not established		20 ppm STEL; 60 mg/m3 STEL		15 mg/m3 STEL	
ester (108-05-4)	TWA	s 10 p	pm TWA 10 ppm mg/m3 T		TWAEV; 35 WAEV 10 ppm TWA		10 ppm TWA; 30 mg/m3 TWA		10 mg/m3 TWA		
			Ex	cposure	Limits/Gu	idelines (Co	on't.)				
	R	esult	Cyprus		Denn	nark	Gern	nany TRGS		NIOSH	
Acetic acid, vinyl	TWAs		TWAs 17.6 mg/m3 TWA; 5 5 ppm TWA; 18 mg/m3 TWA		18 mg/m3	5 ppm TWA AGW (exposure factor 2); 18 mg/m3 TWA AGW (exposure factor 2)		Not	established		
ester (108-05-4)	s	TELs	35.2 mg/m3 STEL ppm STEL	_; 10	Not establish	ned	Not esta	blished	Not	established	
	C	eilings	Not established		Not establish	ned	Not esta	Not established		4 ppm Ceiling (15 min); 15 mg/m3 Ceiling (15 min)	

Exposure Control Notations

Germany TRGS

•Acetic acid, vinyl ester (108-05-4): Carcinogens: (Category 3)

Germany DFG

Acetic acid, vinyl ester (108-05-4): Carcinogens: (Category 3A (could be carcinogenic for man))

8.2 Exposure controls

Engineering Measures/Controls

• This material is designed to be used outdoors, in roofing applications. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

 In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face Skin/Body

- Wear safety goggles.
- Use impermeable gloves and protective clothing as necessary to prevent skin contact.

Environmental Exposure Controls

 In case of spills, keep product clear of sewers, waterways or land areas. Dispose of waste product in accordance with national and local laws and regulations.

Key to abbreviations

NIOSH = National Institute of Occupational Safety and Health

STEL _ Short Term Exposure Limits are based on 15-minute

exposures

STEV = Short Term Exposure Value

TWAEV = Time-Weighted Average Exposure Value
Time-Weighted Averages are based on 8h/day, 40h/week

= exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Pink liquid with a mild odor.
Color	Pink	Odor	Mild
Odor Threshold	Data lacking		
General Properties			
Boiling Point	212 F(100 C)	Melting Point	Not relevant
Decomposition Temperature	Data lacking	рН	7 to 9
Specific Gravity/Relative Density	1 to 1.2 Water=1	Water Solubility	Dispersible
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility		•	•
Vapor Pressure	18 mbar @ 20 C(68 F)	Vapor Density	Data lacking
Evaporation Rate	0.36 n-Butyl Acetate = 1	VOC (Wt.)	< 1 %
Flammability		•	•
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Not relevant.		
Environmental	<u> </u>		
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Incompatible materials.

10.5 Incompatible materials

Keep away from strong oxidizing agents, strong Lewis or mineral acids.

10.6 Hazardous decomposition products

 Oxides of carbon. Thermal decomposition can lead to release of irritating gases and vapors.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

	Components						
Acetic acid, vinyl ester (0.1% TO 1%)	108- 05-4	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2900 mg/kg; Inhalation-Rat LC50 • 11400 mg/m³ 4 Hour(s); Skin-Rabbit LD50 • 2335 mg/kg; Irritation: Eye-Human • 22 ppm; Reproductive: Inhalation-Rat TCLo • 1000 ppm 6 Hour(s)(6-15D preg); Reproductive Effects:Maternal Effects:Other effects; Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 600 ppm 6 Hour(s) 5 Day(s)-Intermittent; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Sense Organs and Special Senses:Olfaction:Tumors					

GHS Properties	Classification
Acute toxicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Aspiration Hazard	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Carcinogenicity	EU/CLP ◆ Carcinogenicity 2 OSHA HCS 2012 ◆ Carcinogenicity 2
Germ Cell Mutagenicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Skin corrosion/Irritation	EU/CLP ◆ Classification criteria not met OSHA HCS 2012 ◆ Classification criteria not met
Skin sensitization	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
STOT-RE	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
STOT-SE	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Toxicity for Reproduction	EU/CLP Classification criteria not met OSHA HCS 2012 Toxic to Reproduction 2
Respiratory sensitization	EU/CLP ◆ Classification criteria not met OSHA HCS 2012 ◆ Classification criteria not met
Serious eye damage/Irritation	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met

Route(s) of entry/exposure Potential Health Effects

• Inhalation, Skin, Eye, Ingestion

Inhalation

Acute (Immediate)
Chronic (Delayed)

- May cause irritation.
- No data available

Skin

Acute (Immediate)

Chronic (Delayed)

May cause irritation.

No data available

Eye

Acute (Immediate)

Chronic (Delayed)

May cause irritation.

No data available

Ingestion

Acute (Immediate)

Chronic (Delayed)

 Not expected under normal conditions of use. May cause gastrointestinal tract irritation if swallowed.

No data available

Mutagenic Effects

• In vitro tests with vinyl acetate have shown mutagenic effects.

Carcinogenic Effects

Repeated and prolonged exposure may cause cancer.

Carcinogenic Effects					
	CAS IARC				
Acetic acid, vinyl ester	108-05-4	Group 2B-Possible Carcinogen			

Reproductive Effects

Suspected of damaging fertility or the unborn child.

Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

TC = Toxic Concentration

Section 12 - Ecological Information

12.1 Toxicity

Material data lacking.

12.2 Persistence and degradability

Material data lacking.

12.3 Bioaccumulative potential

Material data lacking.

12.4 Mobility in Soil

Material data lacking.

12.5 Results of PBT and vPvB assessment

No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
ADN	NDA	Not Regulated	NDA	NDA	NDA
ADR/RID	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

14.6 Special precautions for user

- None specified.
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
- Data lacking.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications . Chronic

State Right To Know					
Component	CAS	MA	NJ	PA	
Acetic acid, vinyl ester	108-05-4	Yes	Yes	Yes	

Inventory									
Component	CAS	Canada DS	SL Canada NDSL	China	EU EINECS	EU ELNICS			
Acetic acid, vinyl ester	108-05-4	Yes	No	Yes	Yes	No			
Inventory (Con't.)									
			Inventory (C	on't.)					
Component		CAS	Inventory (Co	on't.) Korea KECL		TSCA			

Australia

Labor

Australia - Work Health and Safety Regulations - Hazardous Substances Requiring Health Monitoring

Acetic acid, vinyl ester
 108-05-4
 Not Listed

Australia - High Volume Industrial Chemicals List

• Acetic acid, vinyl ester 108-05-4

Australia - List of Designated Hazardous Substances - Classification

• Acetic acid, vinyl ester 108-05-4 F R11

Environment		
Australia - National Pollutant Inventory (NPI) Substance List • Acetic acid, vinyl ester	108-05-4	Not Listed
Acetic acid, viriyi ester	100-03-4	Not Listed
Australia - Ozone Protection Act - Scheduled Substances		
Acetic acid, vinyl ester	108-05-4	Not Listed
Australia - Priority Existing Chemical Program		
Acetic acid, vinyl ester	108-05-4	Not Listed
elgium		
_abor		
Belgium - Substances and Preparations - Carcinogens and Mutagens	400.05.4	
Acetic acid, vinyl ester	108-05-4	Not Listed
ulgaria		
Environment		
Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - 24	Hour	
Acetic acid, vinyl ester	108-05-4	0.15 mg/m3 MAHCL
Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - 30		
Acetic acid, vinyl ester	108-05-4	0.15 mg/m3 MAHCL
Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - Ai	nnual	
Acetic acid, vinyl ester	108-05-4	Not Listed
, isomo dota, i.i.y. ooto.		
anada		
Labor ————————————————————————————————————		
Canada - WHMIS - Classifications of Substances		
Acetic acid, vinyl ester	108-05-4	B2, D1B, D2A, F
Canada - WHMIS - Ingredient Disclosure List • Acetic acid, vinyl ester	108-05-4	1 %
• Acetic acid, viriyi ester	100-05-4	1 /0
Environment		
Canada - 2004 NPRI (National Pollutant Release Inventory)		
Acetic acid, vinyl ester	108-05-4	Part 1, Group 1 Substance;
Acetic acid, viriyi ester	100-03-4	Part 5 Substance
Canada 2005 NDDI (National Ballutant Balance Inventory)		
Canada - 2005 NPRI (National Pollutant Release Inventory)		Part 1, Group 1 Substance;
Acetic acid, vinyl ester	108-05-4	Part 5 Substance
Canada - CEPA - Greenhouse Gases Subject to Mandatory Reporting		
Acetic acid, vinyl ester	108-05-4	Not Listed
Canada CERA Briarity Substances List		
Canada - CEPA - Priority Substances List • Acetic acid, vinyl ester	108-05-4	Not Listed
- Acotto dold, virtyi ester	100 00 4	Not Elsted
Canada - DWQ (Drinking Water Quality) - IMACs		
Acetic acid, vinyl ester	108-05-4	Not Listed

Other		
Canada - Accelerated Reduction/Elimination of Toxics (ARET)		
Acetic acid, vinyl ester	108-05-4	Not Listed
anada New Brunswick		
Environment		
Canada - New Brunswick - Ozone Depleting Substances - Schedule A		
Acetic acid, vinyl ester	108-05-4	Not Listed
Canada - New Brunswick - Ozone Depleting Substances - Schedule B		
Acetic acid, vinyl ester	108-05-4	Not Listed
China		
Other		
China - Annex I & II - Controlled Chemicals Lists	400.05.4	Marie a l
Acetic acid, vinyl ester	108-05-4	Not Listed
Penmark		
Environment		
Denmark - List of Undesirable Substances - Product Groups/Function	400.05.4	March Sarad
Acetic acid, vinyl ester	108-05-4	Not Listed
urope		
Other EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification		
Acetic acid, vinyl ester	108-05-4	F; R11
- Acetic acid, viriyi estel	100-05-4	1,1011
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits		
Acetic acid, vinyl ester	108-05-4	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
Acetic acid, vinyl ester	108-05-4	F R:11 S:(2)-16-23-29-33

Germany

• Acetic acid, vinyl ester

• Acetic acid, vinyl ester

Labor Germany - Immission Control - Qualifying Quantities for Major Accident Prever	ntion		
Acetic acid, vinyl ester	108-05-4	Not Listed	
Germany - Immission Control - Qualifying Quantities for Safety Reporting			
Acetic acid, vinyl ester	108-05-4	Not Listed	
Germany - TRGS 505 - Specific Lead Regulations			
Acetic acid, vinyl ester	108-05-4	Not Listed	
Germany - TRGS 511 - Specific Ammonium Nitrate Regulations			
Acetic acid, vinyl ester	108-05-4	Not Listed	

108-05-4

108-05-4

D

S:(2)-16-23-29-33

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

nvironment Germany - TA Luft - Types and Classes		
Acetic acid, vinyl ester	108-05-4	organic Substance: 5.2.5, Class I
Germany - TA Luft - Emission Limits for Carcinogenic Substances • Acetic acid, vinyl ester	108-05-4	Not Listed
Germany - TA Luft - Emission Limits for Fibers • Acetic acid, vinyl ester	108-05-4	Not Listed
Germany - TA Luft - Emission Limits for Inorganic Dusts • Acetic acid, vinyl ester	108-05-4	Not Listed
Germany - TA Luft - Emission Limits for Inorganic Gases • Acetic acid, vinyl ester	108-05-4	Not Listed
Germany - TA Luft - Emission Limits for Organic Substances		
Acetic acid, vinyl ester	108-05-4	0.10 kg/h Mass flow (Class 20 mg/m3 Mass concentratio (Class I)
Germany - Water Classification (VwVwS) - Annex 1 • Acetic acid, vinyl ester	108-05-4	Not Listed
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes		
Acetic acid, vinyl ester	108-05-4	ID Number 203, hazard class - hazard to waters
Germany - Water Classification (VwVwS) - Annex 3 • Acetic acid, vinyl ester	108-05-4	Not Listed
exico		
ther Mexico - Hazard Classifications		
Acetic acid, vinyl ester	108-05-4	Hazard Class = 3 PG = II UN1301
Mexico - Regulated Substances • Acetic acid, vinyl ester	108-05-4	UN1301
nited States		
abor		
U.S OSHA - Process Safety Management - Highly Hazardous Chemicals • Acetic acid, vinyl ester	108-05-4	Not Listed
U.S OSHA - Specifically Regulated Chemicals • Acetic acid, vinyl ester	108-05-4	Not Listed

• Acetic acid, vinyl ester

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

108-05-4

U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities				
Acetic acid, vinyl ester	108-05-4	5000 lb final RQ; 2270 kg final RQ		
U.S CERCLA/SARA - Radionuclides and Their Reportable QuantitiesAcetic acid, vinyl ester	108-05-4	Not Listed		
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs • Acetic acid, vinyl ester	108-05-4	5000 lb EPCRA RQ		
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs • Acetic acid, vinyl ester	108-05-4	1000 lb TPQ		
U.S CERCLA/SARA - Section 313 - Emission Reporting				
Acetic acid, vinyl ester	108-05-4	0.1 % de minimis concentration		
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing				
Acetic acid, vinyl ester	108-05-4	Not Listed		
U.S RCRA (Resource Conservation & Recovery Act) - Constituents for Detection Monitoring • Acetic acid, vinyl ester 108-05-4				
 U.S RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constitute Acetic acid, vinyl ester 	108-05-4			
 U.S RCRA (Resource Conservation & Recovery Act) - TSD Facilities Ground Water Monitoring Acetic acid, vinyl ester 				

United States - California

□ Environment		
U.S California - Proposition 65 - Carcinogens List	400.05.4	
Acetic acid, vinyl ester	108-05-4	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Acetic acid, vinyl ester	108-05-4	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Acetic acid, vinyl ester	108-05-4	Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Acetic acid, vinyl ester	108-05-4	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female • Acetic acid, vinyl ester	108-05-4	Not Listed
, isomo dota, i.i.y. osto	.00 00 .	
U.S California - Proposition 65 - Reproductive Toxicity - Male	400.05.4	Mart Parad
Acetic acid, vinyl ester	108-05-4	Not Listed

United States - Pennsylvania

Labor U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
Acetic acid, vinyl ester	108-05-4
U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances	

· Acetic acid, vinyl ester

108-05-4

Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Date - March 25, 2024

Disclaimer/Statement of Liability

• The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Holcim Solutions and Products US, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Holcim Solutions and Products US, LLC assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

Key to abbreviationsNDA = No Data Available